

To order this and other brochures on alcohol, tobacco, and other drugs, please go to www.maclearinghouse.com.

Massachusetts Department of Public Health
Bureau of Substance Abuse Services
Massachusetts Tobacco Cessation and Prevention Program



Talking to your middle school-aged child about alcohol, tobacco, and other drugs: A 10-step guide for parents



Talking to your middle school-aged child about alcohol, tobacco, and other drugs:

## A 10-step guide for parents

Step #9	Step #8	Step #7	Step #6	Step #5	Step #4	Step #3	Step #2	Step #1
Watch for Warning Signs: A QUIZ	Build your support system	Keep your home safer	Make family rules and keep them	Start the conversation	Know the facts before you start talking	Be prepared to answer questions about your smoking, drinking, or drug use	Get ready to talk: A QUIZ	Why you need to talk
Page 18	Page 17	Page 14	Page 12	Page 10	Page 8	Page 7	Page 5	Page 2

#### Why you need to talk

As a parent, you have a strong say over your children's choices. Talking to them can help them make the right decisions about alcohol, tobacco, and other drugs. Many parents are surprised to learn that setting rules can strongly affect their kids' future.

about alcohol, smoking, and drugs, but I was afraid I'd say

I wanted to talk to my child

When your children go to middle school (grades 6 to 8), they face many new challenges. They want to try new things. They want to fit in. Their friends may pressure them to do things they may not feel so good about.


Remember, no matter how prepared you are, the chance to talk could happen when you don't expect it. Your child could start the talk at any time. This booklet will help you be to be ready to answer their questions when they ask them.

# How to help your child stay away from alcohol, tobacco, and other drugs:

- Talk about what they like to do and what could happen if they drink alcohol, smoke cigarettes, or take drugs. For example, they can't do as well in sports or could get into a car accident. They could get into trouble at school or with the police. They could get addicted to tobacco, alcohol, or another drug and find it hard to quit.
- Talk to them about your family rules.
- Notice your children doing something right and congratulate them.
   It builds their confidence.
- Stay connected. Keep talking. Listen to your kids when they talk

 The Partnership for a Drug-Free America (www.drugfree.org) Partnership Attitudes Tracking Study (PATS) – Teens 2005





#### Step #2 Get ready to talk

## Get ready to talk.

# You may be surprised what you can find out about your child!

Take this quiz and check the answers with your kids. It's fun and the information will be helpful in talks with your children.

## How well do you know your child?

What are their favorite colors?

Who are their best friends?

What are the names of your kids' teachers?

Who are their favorite teachers?

Who are some of your kids' role models?

What do they admire about these people?
What are their favorite movies, TV shows, music or radio stations?

What are their favorite activities or hobbies?

What are their dreams for the future?

Adapted from Keeping Youth Drug Free, Center for Substance Abuse Prevention.



### smoking, drinking, or drug use. Be prepared to answer questions about your

# What can I say if my children ask me if I ever used drugs?

You are someone who your child looks up to - you can decide what you're comfortable sharing. Try to stay focused on them.

#### Some ways to answer

- "We're talking about you, and I want to help you to be safe." "I've seen a lot of people get into trouble with alcohol and drugs, and I don't want to see you get hurt."
- "Everybody makes mistakes. I want to keep you from making a bad choice."

## What can I say or do if I drink or smoke now?

- "When I started smoking, I didn't understand how hard it would be to quit. Maybe you can help me quit."
- "I'm an adult. It's against the law to drink if you are under 21."
- · Be a good role model. Never talk about smoking, drinking, or drug use as something exciting or fun.

## Know the facts before you start talking.

Your child may know more about drugs, tobacco, and alcohol than you do! Don't worry. You don't need to know everything.

## Here are a few facts to get you started:

- Most pre-teens don't use alcohol, tobacco, or other drugs.
- The younger a child starts to use alcohol, tobacco, or other drugs, the more likely it is that they'll get addicted.
- Brain damage can happen when kids use alcohol, tobacco, and many other drugs.
- Young people may try prescription drugs from their parents' or grandparents' home without knowing this is illegal and dangerous.
- You may have lots of products in your home that could be used in illegal ways.

Find out more. Check out drug facts parents of middle schoolers need to know on the inside back cover.




### Step #5 Start the conversation.

Your children are listening to you — even when it looks like they aren't! What you say about choices they make can help them grow up healthier.

Here are some ways to get your kids talking to you about what's going on in their life:

- Ask your child what's going on about friends and what's new and fun.
- Get your child to talk about feelings, such as how they feel about school, their friends, or how they feel about being a pre-teen.
- Ask questions so they know you're listening.
- Listen to your children and show them that what they say and think matters.
- Respect their answers even if you don't agree with them.
- Use what happens on radio or TV shows to start talking. For example, "In that show we just watched, how do you think that girl (or boy) could have avoided being around alcohol or drugs?"
- "I realize we haven't talked about alcohol or drugs. I love you and I want to be sure you're healthy. So our family needs to set some rules."
- "When I picked you up at school yesterday, I noticed some kids your age smoking. What do you think about that?"
- "I know most kids your age don't drink. I just want to talk with you
  about how important it is not to drive in a car with anyone who has
  been using drugs or drinking. Promise me you'll call me if you need
  a ride any time."

Talks can be short, but make it clear to your children what you expect from them. They need to know that you'll be checking in with them from time to time. Your kids will thank you, even if they don't say so for years.





## Make family rules and keep them.

#### Rules to follow

- Make clear rules. Rules can include: when your children are expected home, what chores they have to do, etc.
- Write the rules down. Put them in a place where they can be seen.
- Consider rewards for following the rules, like a family trip or going to the mall.
- Give every rule a punishment if broken, like no phone calls or computer time for one week.
- Stick to the rules all the time.
- Go over the rules as your child gets older, and change the rules as they become more responsible.

### Watch your children's activities

use alcohol, cigarettes, or other drugs. When you know what your middle schoolers are doing, they are less likely to

Here are some tips and examples of rules to set

- No riding in a car driven by a person who has been drinking alcohol or using drugs.
- No drinking of alcohol until you are 21 except for a sip of wine for special religious reasons.
- No staying at parties where other teens are drinking or using drugs
- No using illegal drugs, ever.
- No smoking ever, not even a puff.
- Stay away from places where others are smoking. Secondhand smoke is dangerous and can make kids sick
- Talk with other parents about the rules you have set for your kids
- Know where your children are and have a set time when your kids need to be home.
- Make a plan in case your child gets into a situation where alcohol or other drugs are being used.

Adapted from "The Rules of the House", www.sph.unc.edu/familymatters

12

helps her make good choices My daughter always balked when I set rules, but she says now it

Fitting in and pressure from friends
If their friends are drinking alcohol, smoking, or using drugs, your pre-teens by talking to them about how to say no. You can suggest your kids say: might feel like they need to fit in. You can help your children build confidence

- "No thanks. Let's go to my house and hang out.
- "Not now, I gotta go."
- "No! I'll get grounded."

Help them to come up with their own way to say no

your kids stay alcohol, tobacco, and drug free. Congratulations! You are on your way to helping

other drugs if their parents have established a Kids are less likely to use tobacco, alcohol, and pattern of setting clear rules and consequences or breaking those rules.

Partnership for a Drug-Free America, www.drugfree.org


# Keep your home safer from alcohol, tobacco, and other drugs.


#### Helpful hints:

- Think about keeping tobacco and alcohol locked up.
- Do not ask your child to handle your cigarettes or alcohol.
- Keep track of your prescription and over-the-counter drugs.
- Throw away old medicines mixed with kitty litter or coffee grounds.\*
- Watch your cleaning products, paint cans, hair spray, and nail
  polish remover they can be poisonous. Watch your kids if
  they use these products.\*\*

If you smoke, your kids are more likely to smoke. Middle school students are three times more likely to have tried smoking if they live with a smoker. For help quitting, call 1-800-QUIT-NOW (1-800-784-8669; TTY 1-800-833-1477)

- Visit www.whitehousedrugpolicy.gov/publications/pdf /prescrip\_disposal.pdf for details
- \*\* For information on abuse, prevention, and safer household products, go to www.inhalantabusetraining.org.





## Build your support system.

There are many people to turn to in your community who can support you as you talk with your pre-teen about alcohol, tobacco, and drugs:

- Family doctors, nurses, and faith leaders may have experience in talking to middle schoolers and parents about alcohol, tobacco, and other drugs.
- · School counselors and coaches can be helpful.
- Community health centers and anti-drug coalitions have information to share.

## Other ways to keep your kids safer:

- · Make sure your children's school has a strong anti-drug program.
- Start a neighborhood watch to report drug dealing or underage drinking.

#### The laws

Knowing some of the laws about using alcohol, tobacco, and drugs could help your middle schooler stay away from them. These laws have consequences. For example:

- · Giving or selling tobacco to anyone under 18 is illegal.
- It's illegal for anyone under the age of 21 to have alcohol.
- · Using marijuana or any other illegal drug is against the law.
- Using or even holding someone else's prescription is breaking the law.

For more information on Massachusetts laws, see www.mass.gov.

## **Step #9**Watch for warning signs.

#### Take this Quiz!

If you have seen some of these changes in your kids, they might be using alcohol, tobacco, or other drugs.

- Have you noticed a change in mood?
- Is your child sleeping or eating more or less than usual?
- Does your middle schooler show less interest in school, friends, or activities?
- Is the quality of schoolwork getting worse or is he or she skipping school?
- Does your middle schooler have new friends you haven't met?


Is money missing, or have objects disappeared from

the house?

- Is your child talking about parties where drugs and alcohol are heing used?
- Is your middle schooler breaking rules or acting angry?

Some of these behaviors are normal for pre-teens. But if you think your child may be using illegal substances, have a calm and supportive talk with him or her and get help. Getting help early is the key to protecting your child's health. Request a free copy of "Alcohol and Other Drugs: Is Your Teen Using?" at 1-800-952-6637 or TTY: 1-617-536-5872. You can also order or download it at www.maclearinghouse.com.

See other resources on page 20.



# Get help if you need it: Places for information.

## Helplines and Hotlines in Massachusetts

Mass 211: Information and referrals for youth (including recreational programs), cultural, and family services. 2-1-1 or 1-877-211-6277 (toll-free; multi-lingual); TTY: 1-508-370-4890; www.mass211help.org.

Massachusetts Smokers' Helpline: A free and confidential way to support you as you fry to quit smoking by offering telephone sessions with a trained tobacco treatment specialist. 1-800-QUIT-NOW (1-800-833-3266); Spanish 1-800-8-33-1477.

www.makesmokinghistory.org: Information on tobacco prevention, quitting smoking, and secondhand smoke.

Massachusetts Substance Abuse Information and Education Helpline: Information and reatment referrals, 1-800-327-5050 (tol-free; 7 days a week; multi-lingual); TTY: 1-888-448-8321; www.helpline-online.com.

Institute for Health and Recovery: Referrals to residential services and information for youth and their families affected by alcohol or other drugs. 1-866-705-8807 (English and Spanish): www.healthrecovery.org.

### Massachusetts and Rhode Island

Poison Control Center: Information and hotline about inhalants and other poisons. 1-800-222-1222 (toll-free; 24 hours): TTY: 1-888-244-5313; www.maripoisoncenter.com.

#### Massachusetts Resources

Massachusetts Department of Public Health, Bureau of Substance Abuse Services: Information on alcohol and other drugs and services. www.mass.gov/dph/bsas.

Massachusetts Department of Public Health,
Tobacco Gessation and Prevention Program:
Information on tobacco, www.mass.gow/dph/micp.

Massachusetts Health Promotion Glearinghouse: Free information on alcohol, tobacco, and other drugs:

- Talking to Your 11- to 13-Year Old Child about Alcohol, Tobacco, and Other Drugs (Spanish and Hattian Creole)
- Chaose to Keep Your Freedom
   JEnn ish and Spanish)
- (English and Spanish)
   Inhalants Poison Your Body (English)
- Preventing Substance Abuse Starts at Home: Safsguarding Your Children (English and Spanish)


For copies of these brachures or more copies of this backlet, contact 1-800-952-6637 (tall-free; English, Spanish, and Portuguese); TTY: 1-617-536-5872; www.madeeringhouse.com.

#### National Resources

The Cool Spot: Interactive website for young teens, www.thecnolspot.gov.

National Institute on Drug Abuse (NIDA): Real stories, information, activities. www.nide.nih.gow/paren-reacher.html.

Family Matters: Information: step-by-step on-line guide for parents, www.sph.unc.edu/familymatters.



WHAT IS IT

RISKS

Damage to the brain

Smokes, butts,

spit, chew, dip

It can be smoked in cigarettes, cigars,

Dissolvable tobacco can be: tablets, breath strips, hand gel, toothpicks, etc. or chewed (smokeless tobacco)

It's dried leaves and flowers of

Cough, lung damage, cancer

Makes heart beat faster; causes panic attacks

Affects memory, learning, concentration, and school work

Can be smoked using rolling

Pot, weed, reefer, joint, blunt

papers or pipes

Some are called Kpins (Klonopin, used for anxiety),Oxy or OC (OxyContin, used for pain), Vikes (Vicodin, used for pain), Skittles or Kibbles (Ritalin, used for ADHD), cold

Loss of appetite
 Fevers, convulsion, headaches

More dangerous when mixed with alcohol

Irregular heartbeat and breathing

Found in homes, stores, or pharmacies medicines, and more.

**PRESCRIPTION** AND OVER-THE-COUNTER DRUGS

Can be tablets, capsules, or cough syrups

 They are common household products Glue, kick, bang, poppers, whippets, snappers, locker room, snort, laughing gas

**INHALANTS** 

Can be sniffed or "huffed" through the mouth (such as cleaners, nail polish remover)

Brain, liver, and kidney damage

Loss of consciousness

Death from heart failure, accidents, or suffocation

WHAT TO LOOK FOR

**EXAMPLES OF LEGAL STATUS** 

Illegal to have alcohol in the United States

if you are under age 21

If your child is unresponsive or can't wake up,

call 911 immediately.

The Substances: As a parent, you may want to know some of the basics before you begin talking to your child

Facts every parent needs to know about alcohol, tobacco, and other drugs

Alcohol missing from bottles at home
 Smell of alcohol on breath; trouble talking or walking

Bad decisions; increase in violent behavior and sexual activity

 Alcohol addiction Depression and suicide

Injury or death from car accidents, alcohol poisoning, or overdose

 Addiction — middle school-age brains develop an addiction to nicotine more easily and parts of the brain never fully

Bad breath, yellow teeth, tooth decay, smell on clothing, etc.

develop. Within days of starting to smoke, pre-teens show

Less energy, less physical strength

Lung disease, oral cancer, loss of teeth

heart disease, cancer, stroke, asthma

Cigarettes, matches, lighters

Illegal to sell or give tobacco products

to youth under age 18

Breathmint-like tins

Smell of smoke in clothing, hair

 (In some users) Sweatiness, shakiness, paleness, nausea and vomiting

 Cigarettes, cigars, small pipe, lighters, matches Illegal to possess or use marijuana

Water pipe or bong (container filled with liquid with a small tube)

Sweet, smoky smell in air or on clothes

Twitching, sleepiness, or sleeplessness

Change in mood

Less interest in school, activities, or friends, or new friends you

 Eating or sleeping more or less than usual haven't met yet

> a valid prescription from the doctor Illegal to purchase or use Rx drugs without

 Illegal to give away your own or others' or others' prescription drugs Illegal to use over-the-counter drugs in the prescription drugs; ille

Use of these products as inhalants is illegal

 Sores on face, in mouth; Mood swings, confusion

rash around nose

Sneezing, coughing, nosebleeds